

Rate Contract
Government of India
Directorate General of Supplies & Disposals
Jeevan Tara Building, 5 Sansad Marg
New Delhi-110001 Tel Number 23360610/23360537

Rate Contract no. **I.B.Panels/IT-3/RC-D10L0000/0409/83/02581/1486**

Date 08-DEC-08

To,
GLOBUS INFOCOM LTD.
A-22, Sector-4, NOIDA- 201301
Mr. Jitendra Kumar - 09811604226
Ph: 0120-4051700-4051800,
Fax: 0120-4051701
Email: sales@globusinfocom.com

Sub: Rate Contract for supply of Interactive Boards and Panels
valid from 08-DEC-08 To 30-JUNE-09

Ref: (1) This Office Tender Enquiry no I.B.Panels/IT-3/RC-D10L0000/0409/83
opened on 14-OCT-08.
(2) Your Quotation No GIL/AD/REG/08/877 And Dated
23-OCT-08.


Dear sir,

You are hereby informed that your above refered tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in the Form no. DGS&D 1001 available from dgs&d sales counter on payment of Rs. 50/- . The Rate Contract and the schedules annexed here to shall be the sole repository of this Rate Contract/ Transaction.

SCHEDULES ANNEXED

- 1.Schedule "A" Description of stores, prices, duties/taxes.
- 2.Schedule "B" special conditions of contract / Other information.
- 3.Schedule "C" Information to ODO5 about parallel rate contracts.
- 4.Annexure - Technical Specification

Yours Faithfully




(SURENDRA SINGH)

Assistant Director(S)/Section Officer/Dy.Director
For and on behalf of the purchaser named in the Form DGS&D 1001.

COPY TO

- 1.The Chief Controller of Accounts, Department of commerce, New Delhi/
COA Mumbai/COA Kolkata,COA Chennai.
(Through authentication cell) This issues with the approval of competent authority.
- 2.Deputy Director General of Supplies & Disposals,Chennai -10 copies each
- 3.Deputy Director General of Supplies & Disposals,Kolkata -10 copies each
- 4.Deputy Director General of Supplies & Disposals,Mumbai -10 copies each
- 5.Deputy Director General (QA),Kolkata -10 copies each
- 6.Deputy Director General (QA),Chennai -10 copies each
- 7.Deputy Director General (QA),Mumbai -10 copies each
- 8.Deputy Director General (QA),DGS&D -10 copies each
- 9.Inspection Authority ADG(QA) DGS&D New Delhi - 110001.
- 10.Quality assurance Officer Director (QA) Delhi Directorate/ Mumbai,
Chennai/Kolkata.
- 11.Concurrent Audit
- 12.MIS Cell
- 13.Ledger clerk
- 14.O.L.Section
- 15.All Direct Demanding Officers as per mailing list maintained by DGS&D.



(SURENDRA SINGH)

Assistant Director (S) / Section Officer / Deputy Director
FOR DIRECTOR GENERAL OF SUPPLIES & DISPOSALS

SCHEDULE - A

1. RATE CONTRACT No.: **I.B.Panels/IT-3/RC-D10L0000/0409/83/02581/1486**
Dated 08-DEC-08 FOR THE SUPPLY OF Interactive Boards and Panels

2. ADVANCE RATE CONTRACT NO.-Nil
Dated

3.(a) NAME AND FULL ADDRESS OF THE FIRM -

GLOBUS INFOCOM LTD.
A-22, Sector-4, NOIDA- 201301
Mr. Jitendra Kumar - 09811604226
Ph: 0120-4051700-4051800,
Fax: 0120-4051701
Email: **sales@globusinfocom.com**

UTTAR PRADESH - 201 301
Mr. Jitendra Kumar - 09811604226
Ph: 0120-4051700-4051800,
Fax: 0120-4051701
Email: **info@globusinfocom.com**

(b) NAME AND FULL ADDRESS OF MANUFACTURER -


As per Schedule-B

(c) BRAND: As per Schedule-B

4. VALIDITY OF RATE CONTRACT :: **08-DEC-08 To 30-JUNE-09**

5. DESCRIPTION OF ITEM, SPECIFICATION,UNIT, RATE

Item No.	Model No.	Store Description		Unit	Rate (in Rs.)
7	Interwrite 1077B / Globus GMB 77L	Interactive Board	Min. Diagonal Size(mm): 1700, Aspect Ratio: 4:3, Linux Compatibility: Yes Auto Calibration: No	NOS.	105884 Rs. ONE LAKH FIVE THOUSAND EIGHT HUNDRED EIGHTY FOUR ONLY
9	Globus GMB77	Interactive Board	Min. Diagonal Size(mm): 1700, Aspect Ratio: 4:3, Linux Compatibility: No Auto Calibration: No	NOS.	94119 Rs. NINETY-FOUR THOUSAND ONE HUNDRED NINETEEN ONLY
23	Globus G-Panel 15L	Interactive Panel	Diagonal Size(mm): 380, Resolution: XGA, Aspect Ratio:4:3, Linux Compatibility: Yes	NOS.	89074 Rs. EIGHTY NINE THOUSAND SEVENTY FOUR ONLY
24	Globus G-Panel 15	Interactive Panel	Diagonal Size(mm): 380, Resolution: XGA, Aspect Ratio:4:3, Linux Compatibility: No	NOS.	79177 Rs. SEVENTY NINE THOUSAND ONE HUNDRED SEVENTY SEVEN ONLY



25	Interwrite i-Panel 17 / Globus G-Panel 17L	Interactive Panel	Diagonal Size(mm): 430, Resolution: SXGA, Aspect Ratio:5:4, Linux Compatibility: Yes	NOS.	124703 Rs. ONE LAKHS TWENTY FOUR THOUSAND SEVEN HUNDRED THREE ONLY
26	Globus G-Panel 17	Interactive Panel	Diagonal Size(mm): 430, Resolution: SXGA, Aspect Ratio:5:4, Linux Compatibility: No	NOS.	109115 Rs. ONE LAKHS NINE THOUSAND ONE HUNDRED FIFTEEN ONLY
30	Globus G-Pen	Optional Item for Interactive Boards and Panels	Item: Electronic Pen for use in projection mode for Interactive Board	NOS.	3763 Rs. THREE THOUSAND SEVEN HUNDRED SIXTY THREE ONLY
31	Globus GP-500	Optional Item for Interactive Boards and Panels	Item: Blue tooth adapter 10m range or better	NOS.	8783 Rs. EIGHT THOUSAND SEVEN HUNDRED EIGHTY THREE ONLY
34	Globus GLST-15	Optional Item for Interactive Boards and Panels	Item: Floor-stand for 1700 mm Interactive Board	NOS.	8783 Rs. EIGHT THOUSAND SEVEN HUNDRED EIGHTY THREE ONLY
37	Globus G-Pen	Optional Item for Interactive Boards and Panels	Item: Electronic Pen for Interactive Panel	NOS.	3763 Rs. THREE THOUSAND SEVEN HUNDRED SIXTY THREE ONLY

6-TERMS OF DELIVERY: Free delivery at consignee's premises including installation and commissioning.

7-EXCISE DUTY: Not Applicable

8-SALES TAX: Inclusive of CST / VAT @ 4%

9-DELIVERY PERIOD: Within 8-10 Weeks of from the date of technically & commercially cleared order.

10-ANNUAL TURNOVER/MONETARY LIMIT: Without Limit

11-PAYMENT TERMS: As per Schedule-B

12-SLAB DISCOUNT CLAUSE: Nil

13-PRICES: FIXED

14-QUANTITY OFFERED: Monetary Limit : Without Limit

15-MIN. QUANTITY IN SINGLE SUPPLY ORDER: Without Limit

Jeeva

16-STATUS OF RC HOLDING FIRM: LSI

17-PAYING AUTHORITY: The Chief Controller of Accounts,
Deptt. of Supply
16, AKBAR ROAD
New Delhi -110011

18-INSPECTION AUTHORITY: ADG(Q.A), Jeevan Tara Building,
5 Sansad Marg New Delhi

19-QUALITY ASSURANCE OFFICER: Director(QA), Delhi Directorate,
Jeevan Tara Building, 4th Floor, Sansad
Marg New Delhi
DELHI -110001


20-PLACE WHERE THE STORES ARE TO BE TENDERED FOR INSPECTION: a) Globus Infocom Limited, A-22,
Sector-4, Noida-201301, Distt.
Gautam Budha Nagar, U.P.- for
Imported stores
b) Globus Infocom Limited, C-1/2,
Safdarjung Development Area, New Delhi for
imported stores
c) Globus Infocom Ltd. 210,
Okhla Industrial Estate, Phase-III,
New Delhi for imported stores
d) Globus Infocom Limited, Selaqui
Industrial Area, Selaqui
DEHRADUN (Uttarakhand)- for
Indigenous stores.

21-R/C IS DDOs OPERATED Yes

With effect from First October two thousand eight (01-01-2008), all supply order(s) against this Rate Contract must be placed by Direct Demanding Officer(s) on-line through D.G.S&D web site (www.dgsnd.gov.in) (indenter's page) only. Supply order(s) in any other form placed on or after 01-01-2008 shall not be valid and shall not be acted upon by the contractor or any other concerned agencies.

DDO shall download the supply order and send an ink signed copy to the concerned paying authority specified in the rate contract through Registered/speed post immediately after on-line placement of supply order(s).

22-PACKING & SPECIFICATION see annexure



(SURENDRA SINGH)


Asstt. Director (S) / Section Officer / Dy. Director
For and behalf of the purchaser named in the Form DGS&D 1001.

All the R/C particulars including prices in respect of individual R/Cs are available on DGS&D website which can be accessed by all.
The DGS&D website is <http://dgsnd.gov.in>

SCHEDULE - B

RC SPECIFICATION:

- i. Brand : GTCO CALCOMP / GLOBUS
- ii. Country of Origin : Indigenous / USA
- iii. **ORDER TO BE PLACED ON:**
 - a). M/s. Globus Infocom Ltd., A-22, Sector-4, Noida 201301, Distt. Gautam Budha Nagar, U.P- for imported stores.
 - b). M/s. Globus Infocom Ltd., 210 Okhla Ind. Estate, Phase-III, New Delhi- for imported stores.
 - c) M/s. Globus Infocom Ltd., Selaqui Industrial Area, Selaqui, DEHRADUN (Uttarakhand)- for Indigenous models.
- iv. Name & Full Address of the Manufacturer:
 - a) M/s. Globus Infocom Ltd., Selaqui Industrial Area, Selaqui, Dehradun (Uttarakhand)
 - b) For Imported stores : GTCO CALCOMP PERIPHERALS, 7125 Riverwood Drive, Columbia Maryland 21046, USA.
- v **BILLING SHALL BE DONE from** : Globus Infocom Ltd. A-22, Sector- 4, Noida- 201301 Distt. Gauatam Budha Nagar, U.P. for imported items.
- vi. Billing for imported stored shall be done from Globus Infocom Ltd. C-1/2, Safdarjung Development Area, New Delhi.
- vii. Billing for imported stored shall be done from Globus Infocom Ltd. 210 Okhla Ind. Estate, Phase-III, New Delhi
- viii. **BILLING SHALL BE DONE** from Selaqui Industrial Area, Selaqui, Dehradun (Uttarakhand) for indigenous stores.
- ix. **SPECIAL CONDITIONS OF CONTRACT**
 1. Terms of delivery: The stores will be delivered by the firms on free delivery at consignee's end. Free delivery at site including freight & forwarding. Insurance as per DGS&D Standard Transit Insurance Clause. For Andaman & Nicobar & Lakshdweep, the firm will bear the delivery charges upto the main land port i.e. Kolkata / Chennai / Mumbai, whichever is nearest to the destination. After this, the delivery charges from main land port to the consignee destination in the above mentioned location, to be borne by the consignee.
 2. **PAYMENT TERMS:** 95% payment will be made against proof of Inspection & provisional. receipt certificate issued by the consignee for the receipt of the material. The balance 5% of the contract price of the stores will be paid after demonstration and final acceptance of stores by the consignee and on submission of bank guarantee for the balance 5% of contract value valid for 2 months beyond the guarantee/warranty period. Indemnifying the purchaser against all losses incurred during the guarantee/warranty period stipulated in the contract.



3. Demonstration of the machines will be carried out free of cost at consignee's place.

4. Machines shall conform to Guarantee/Warranty clause for a period of 12 months from the date of Commissioning/demonstration, as per Clause 18 of form No. DGS&D- 1001.

5. Other terms and conditions are as per Form DGS&D-1001.

6. No assistance for import of finished product or raw material will be provided.

7. Tenderers shall have all the testing facilities and instruments to check and verify the functional parameters of the specifications.

8. For imported machines offered for inspection, the documentation requirements at the time of inspection of bulk supplies for each and every lot are as under:-

a) Bill of Lading;
b) Packing list;
c) Certificate of origin;
d) Serial numbers along with model numbers pertaining / corresponding to imports covered by above documents;
e) A certificate from the manufacturer that the machines with particular model Nos. and Serial Nos. were exported by them to Indian supplier and that the same were tested in their factory and found to be satisfactory as per the standard specification of the product.

f) Guarantee/Warranty Certificate for the machine by R/C holding firms


9. Octroi Duty and Local Taxes:

Normally materials to be supplied to Government Department against Govt. Contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. The local Town/Municipal Body regulations at times, however, provide for such exemption only on production of such exemption certificate from any authorized officer. Contractors should ensure that stores ordered against contracts placed by this office are exempted from levy of Town duty/ Octroi duty, Terminal tax or other local taxes and duties. Wherever, required, they should obtain the exemption certificate from the purchase officer or indenter concerned, to avoid payment of such local taxes or duties. Octroi, entry tax etc on the buyers account in the absence of relevant exemption certificate.

10. Road permit, Waybill to be provided by DDO along with the order.

In all such cases where the requirement of Road Permit/Way Bills for entry of goods into a particular State is mandatory, the following provisions shall be strictly followed: -.

a) The supplier shall request the indenter/consignee for providing Road permit/ Waybill within 10 days of the receipt of the Supply order. The supplier shall furnish all the necessary information and documents in this regard to Indenter/consignee.



(b) On receipt of the above request from the supplier, the indentor/consignee concerned shall arrange to provide the Road permit/Way Bill in the prescribed form to the supplier within a maximum period of two weeks so that the same reaches the supplier before the dispatch of the stores. However, in cases where the Road permit/Way Bill is issued on proof of actual invoice of the material, the consignee shall arrange to provide the Road permit/Way Bill from appropriate authorities within a maximum period of 5 days from the receipt of invoice.

(c) The supplier shall not be held responsible for any delay in supply due to non- supply/delayed supply of Road permit/Way bill by the indentor/consignee.

(d) All cases of abnormal delay in providing requisite details/documents by the supplier or issue of Road permit/Way bill by indentor/consignee, the same shall be reported by them to DGS&D.

The details of the Road permits presently applicable in different States are as under:-


Sr.No. States Road Permit

- 1 Andhra Pradesh: -
- 2 Arunachal Pradesh: Form DG-01
- 3 Assam: Form 62
- 4 Bihar:Form 28
- 5 Chhattisgarh: Form 59A
- 6 Goa: -
- 7 Gujarat: Form 403
- 8 Haryana:Form 38 if value is Rs. 25,000 or more.
- 9 Himachal Pradesh: -
- 10 Jammu & Kashmir: -
- 11 Jharkhand: Form 28B
- 12 Karnataka: -
- 13 Kerala: -
- 14 Madhya Pradesh: Form 88/89
- 15 Maharashtra: -
- 16 Manipur: Form 27
- 17 Meghalaya: Form 14
- 18 Mizoram: Form 33
- 19 Nagaland : Form 16
- 20 Orissa: Form 28
- 21 Punjab: -
- 22 Rajashthan: Form 18
- 23 Sikkam: Form 20
- 24 Tamil Nadu: -
- 25 Tripura: Form 26
- 26 Uttar Pradesh: Form 32
- 27 Uttaranchal: Form 17
- 28 West Bengal: Form 50

11. Signing of Inspection Notes issued by Quality Assurance Wing of DGS&D:

'Instructions to Indentors/Consignees':

Advance Payment Copy of Inspection Note for claiming 95% payment:



This is a provisional receipt. It only be tokens the receipt of stores by the consignee and is without prejudice to his rights of inspection and rejection under the general condition to contact. It is issued on said to contain basis the Contractor remaining responsible for proving the total quantities actually delivered. Consignee mentioned in the Inspection Notes should sign (in INK) & put his official rubber stamp on the Advance Payment Copy of Inspection Notes IMMEDIATELY on the receipt of the material and handover the same to the company's authorized representative. Where this is not possible or inconvenient, it should be signed (in INK) by an official authorized by the consignee in that behalf. In such cases, the official signing the receipt certificate should indicate his designation and the official on whose behalf he is signing; and put his official rubber stamp.

Balance payment & Accounts Copy of Inspection Note for claiming 5% balance payment.

(i) Within 90 days from the date of material received, Consignee mentioned in the Inspection Notes should sign (in INK) & put his official rubber stamp on the Balance & Accounts office copy of Inspection Notes and should fill up the columns of Receipt Voucher No.

(ii) In cases where the supply is incomplete or defective or the supplier do not carry out commissioning/demonstration of the stores within the period as per (i) above, the consignee shall report such cases immediately to the supplier and DGS&D.


(iii) In cases where the consignees do not release copy 2 and 5 of I/Notes within the period as (i) above for the reasons which are considered not valid by the supplier, they may approach DGS&D with complete details for authorization of balance payment without copy 2 and 5 of I/Notes and the same shall be considered by DGS&D on merits of each case.

For supplies made from the pre-inspected stocks, Inspection Notes are to be obtained from the Quality Assurance Officer in each case. Despatches / Deliveries of pre-inspected stocks which are duly accepted need not, however, await release of Inspection Notes and may be effected before Inspection Notes are actually released.

All other terms and conditions shall be as per standard conditions contained in Form DGS&D-1001.

12. Pre-Inspected Lot: In order to meet the urgent requirement of indentor you may maintain pre-inspected stock of I.B. Panel for ready dispatch against individual supply orders. In case, however, you fail to dispatch the stores within 60 days Of inspection, the same shall have to be pre-inspected before dispatch.


13. Pre-Inspected Stocks of 500 Nos. I.B. Panel in assorted Models covered under rate contract listed in imported stores and indigenous stores would be maintained by firm for urgent requirements of various Govt. Departments.

A handwritten signature in black ink, appearing to read 'J. S. S. S.', is written below the text of item 13.

For supplies made from the pre-inspected stocks inspection Note are to be obtained from the Inspecting Officer in each case. Dispatches/deliveries of pre-inspected stocks which are duly accepted need not however, await release of I/Notes are actually released.

SCHEDULE-D
SPECIAL INSTRUCTIONS TOR TO R/C HOLDERS

1. Rate Contract holders are advised that before entertaining the supply order(s), they should ensure the availability of following certificates from DDOs.
 - a) They are Central Government Department drawing funds from Consolidated Fund of India.
 - b) The expenditure involved for the purchase has received the sanction of the competent financial authority.
 - c) The funds are available under the proper head in the sanctioned budget allotment for the year.
 - d) They have been fully authorized by the Department to sign the supply order and incur the liability in respect of the stores being ordered.
2. The rate contract holders should assist the consignee(s) in the installation and operation of the machine, including recommendations for accessories and voltage stabilizer.



(SURENDRA SINGH)
ASSISTANT DIRECTOR (S)
For and on behalf of the purchaser named in the form DGS&D-1001

Specification of GLOBUS INTERACTIVE BOARD MODEL GMB77L

Sr. No.	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The Screen shall comprise of a scratch resistant surface (i.e. The electronic pen or stylus in normal use should not leave any permanent scratch on the Board) with a sandwiched electronic grid / circuit in a frame duly sealed to make it dust and vermin proof. The screen shall have a minimum active diagonal length of 1300 mm, 1700 mm, 2000 mm or 2400 mm as specified.	1965 mm
2.	Aspect Ratio	4 : 3 or 16:9 as specified	4 : 3
3.	Resolution	400 Lines per cm (1000 Lines per inch) or better with following technologies and resolution :- Sr.No. Technology Resolution 1. Electromagnetic : 1,000 lines per inch 2. Resistive : 8,000 x 8,000 3. Infrared : 195 pixels per inch 4. Ultrasound : 195 pixels per inch	Electromagnetic: 1000 Lines per inch
4.	Computer Interface	Standard one USB port suitable for wireless Connectivity (wi-Fi adapter/Bluetooth adapter to be ordered extra when required)	Provided
5.	Electronic Pen/Stylus	One set of four pens (black, blue, Green and red) of Dry-erase type and one Electronic Pen or stylus of OEM for projector mode shall form part of standard supply. The Electronic Pens or Stylus shall be suitable for use as a Mouse in projector mode.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP and Linux
7.	Power	230V+/- 10%, 50 HZ AC	230V+/- 10%, 50 HZ AC
8.	Operating Condition	5° to 40° C, 95% RH at 40° C	0° to 45° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating key-board and background etc.	Provided

Specification of GLOBUS INTERACTIVE BOARD MODEL GMB77

Sr. No.	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The Screen shall comprise of a scratch resistant surface (i.e. The electronic pen or stylus in normal use should not leave any permanent scratch on the Board) with a sandwiched electronic grid / circuit in a frame duly sealed to make it dust and vermin proof. The screen shall have a minimum active diagonal length of 1300 mm, 1700 mm, 2000 mm or 2400 mm as specified.	1965 mm
2.	Aspect Ratio	4 : 3 or 16:9 as specified	4 : 3
3.	Resolution	400 Lines per cm (1000 Lines per inch) or better with following technologies and resolution :- Sr.No. Technology Resolution 1. Electromagnetic : 1,000 lines per inch 2. Resistive : 8,000 x 8,000 3. Infrared : 195 pixels per inch 4. Ultrasound : 195 pixels per inch	Electromagnetic: 1000 Lines per inch
4.	Computer Interface	Standard one USB port suitable for wireless Connectivity (wi-Fi adapter/Bluetooth adapter to be ordered extra when required)	Provided
5.	Electronic Pen/Stylus	One set of four pens (black, blue, Green and red) of Dry-erase type and one Electronic Pen or stylus of OEM for projector mode shall form part of standard supply. The Electronic Pens or Stylus shall be suitable for use as a Mouse in projector mode.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP
7.	Power	230V+/- 10%, 50 HZ AC	230V+/- 10%, 50 HZ AC
8.	Operating Condition	5° to 40° C, 95% RH at 40° C	0° to 45° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating key-board and background etc.	Provided

Jeeva

Specification of INTERACTIVE PANEL MODEL GLOBUS G-PANEL 15L

S.No	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The screen shall be a scratch resistance LCD display with a minimum active diagonal length of 380mm or 430mm as specified	380 mm
2.	Aspect Ratio	4 : 3 or 380mm and 5:4 for 430mm size	4 : 3
3.	Resolution	XGA (1024 x 768 pixels) for 380 mm or SXGA (1280 X 1024 pixels) for 430 mm size	XGA (1024 x 768 pixels)
4.	Computer Interface	One USB and VGA port	Provided
5.	Electronic Pen	One Electronic Pen, two button type shall form part of standard supply. Additional quantity when required shall be ordered extra.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP and Linux
7.	Power	230V+/- 10%, 50 HZ AC	230V+/- 10%, 50 HZ AC
8.	Operating Conditions	5° to 40° C, 95% RH at 40° C	0° to 45° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard and background etc.	Provided

Jeeva

Specification of INTERACTIVE PANEL MODEL GLOBUS G-PANEL 15

Sr. No.	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The screen shall be a scratch resistance LCD display with a minimum active diagonal length of 380mm or 430mm as specified	380 mm
2.	Aspect Ratio	4 : 3 or 380mm and 5:4 for 430mm size	4 : 3
3.	Resolution	XGA (1024 x 768 pixels) for 380 mm or SXGA (1280 X 1024 pixels) for 430 mm size	XGA (1024 x 768 pixels)
4.	Computer Interface	One USB and VGA port	Provided
5.	Electronic Pen	One Electronic Pen, two button type shall form part of standard supply. Additional quantity when required shall be ordered extra.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP
7.	Power	230V+/- 10%, 50 HZ AC	230V+/- 10%, 50 HZ AC
8.	Operating Conditions	5° to 40° C, 95% RH at 40° C	0° to 45° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard and background etc.	Provided

Jeeva

Specification of INTERACTIVE PANEL MODEL INTERWRITE PANEL 17

Sr. No.	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The screen shall be a scratch resistance LCD display with a minimum active diagonal length of 380mm or 430mm as specified	431mm diagonal (scratch resistance LCD display)
2.	Aspect Ratio	4 : 3 or 380mm and 5:4 for 430mm size	5 : 4
3.	Resolution	XGA (1024 x 768 pixels) for 380 mm or SXGA (1280 X 1024 pixels) for 430 mm size	SXGA (1280 x 1024)
4.	Computer Interface	One USB and VGA port	1 x USB and 1 x VGA
5.	Electronic Pen	One Electronic Pen, two button type shall form part of standard supply. Additional quantity when required shall be ordered extra.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP & Linux
7.	Power	230V+/- 10%, 50 HZ AC	230V+/- 10%, 50 HZ AC
8.	Operating Conditions	5° to 40° C, 95% RH at 40° C	5° to 40° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating key-board and background etc.	Provided

Jeeva

Specification of GLOBUS INTERACTIVE PANEL MODEL G-PANEL 17L

Sr. No.	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The screen shall be a scratch resistance LCD display with a minimum active diagonal length of 380mm or 430mm as specified	430mm
2.	Aspect Ratio	4 : 3 or 380mm and 5:4 for 430mm size	5 : 4
3.	Resolution	XGA (1024 x 768 pixels) for 380 mm or SXGA (1280 X 1024 pixels) for 430 mm size	SXGA (1280 x 1024 pixels)
4.	Computer Interface	One USB and VGA port	Provided
5.	Electronic Pen	One Electronic Pen, two button type shall form part of standard supply. Additional quantity when required shall be ordered extra.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP and Linux
7.	Power	230V+/- 10%, 50 Hz AC	230V+/- 10%, 50 Hz AC
8.	Operating Conditions	5° to 40° C, 95% RH at 40° C	5° to 40° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating key-board and background etc.	Provided

Jeeva

Specification of GLOBUS INTERACTIVE PANEL MODEL G-PANEL 17

Sr. No.	Parameters	Specification as per T.E.	Specification Offered
1.	Screen	The screen shall be a scratch resistance LCD display with a minimum active diagonal length of 380mm or 430mm as specified	430mm
2.	Aspect Ratio	4 : 3 or 380mm and 5:4 for 430mm size	5 : 4
3.	Resolution	XGA (1024 x 768 pixels) for 380 mm or SXGA (1280 X 1024 pixels) for 430 mm size	SXGA (1280 x 1024 pixels)
4.	Computer Interface	One USB and VGA port	Provided
5.	Electronic Pen	One Electronic Pen, two button type shall form part of standard supply. Additional quantity when required shall be ordered extra.	Provided
6.	Operating System	Compatible with Windows XP or higher and where specified additional compatibility with Linux Operating System.	Windows XP
7.	Power	230V+/- 10%, 50 Hz AC	230V+/- 10%, 50 Hz AC
8.	Operating Conditions	5° to 40° C, 95% RH at 40° C	5° to 40° C, 95% RH at 40° C
9.	Annotation Software	Annotation software shall include features like draw, choose pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating key-board and background etc.	Provided

Jeeva