



Available on  
**GeM**  
Government  
e Marketplace



Enterprise Series

Digital Podium / Electronic Lectern

MODEL: GEL 21H

# GEL 21H

# Application Areas

Schools - Colleges - Universities

Board Rooms - Auditoriums - Conference Rooms

Ops Rooms - Training Rooms etc.



## Digital Podium/ Electronic Lectern

Model: GEL 21H

### Technical Specifications

Type/ Mounting	Processor Based, Free Standing, Wheel Mounted
Construction	1.6mm CRCA metallic (steel) sheet, screw less chassis, polymer powder coated, Wooden Top, all directional wheels with lock. No ports/wire exposed while the Podium is locked and not in use to avoid any kind of breakage or mishandling, Cooling Fans in lower body

Display	
Monitor	Highly sensitive, built-In Interactive Touch Monitor (resistive touch) with motorized tilt facility and mechanism to make the panel stable to avoid any kind of shake while wiring.
Screen Type	Color LED; anti-glare & overlay tempered vandal resistant glass
Size	21.5" (54.61 cm)
Resolution	1920 x 1080 (Full HD)
Aspect Ratio	16:9
Stylus	Provided
Viewing Angles	170(H) ; 160(V)
Touch	Finger and Stylus
Brightness	250 NITS

Annotation Software	Annotation Features like draw, choose, pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard, background etc. Network classroom feature to conduct remote teaching by having interaction through all the three types of media Audio, Video and Text.
---------------------	---

Controller	
I/O Ports	VGA IN, USB 2.0 x 2, USB 3.0 x 1, HDMI x 5, Video pin x 4, RJ45 x 2

Audio System	
Wireless Microphone System	Gooseneck Microphone x 1, Handheld Microphone x 1, Wireless Microphone x 1, Wireless Microphone Receiver x 1
Amplifier and Speakers	150W RMS x 2 @4 ohms Amplifier and two speakers of 30W RMS each

System Details	
Processor	Intel Core i3, 3.2 GHz Processor
Memory	4 GB
HDD/ Storage	500 GB HDD
Keyboard and Mouse	Standard Keyboard and Mouse provided
Operating System	Windows 8.1

Power	
Power Supply	100 - 240V, 50Hz, AC
Power Consumption	250 Watt (Max)

Environment	
Operating Temperature	5°C ~ 45°C, 90% RH at 40°C
Storage Temperature	-10°C ~ 55°C, 90% RH at 40°C
Weight	40 kgs. (Approx.)
Dimensions	43.5cm x 13.0 cm x 33.5 cm

Space Management and Security	A dedicated space to house CPU/Laptop with Security Lock, Sliding Shelf for visualizer, Space for Keyboard and mouse. Physical Key for secure access to system.
-------------------------------	---

\*Due to continuous product development, the specifications may change without prior notice.

\*\*Product image(s) are for illustrative purposes only and may differ from the actual product.



Corporate Office:

A-66, Sector-4, Noida, District Gautam Buddha Nagar, U.P., India - 201301

☎ 0120-4051700/800 ☎ 0120-4051827 ✉ info@globusinfocom.com

📞 For Sales: 0 85888 39434 🌐 www.globusinfocom.com