



Available on
GeM
Government
e Marketplace



Enterprise Series

Digital Podium / Electronic Lectern

MODEL: GEL 21P

GEL 21P

Application Areas



Schools - Colleges - Universities

Board Rooms - Auditoriums - Conference Rooms

Ops Rooms - Training Rooms etc.

Digital Podium/ Electronic Lectern

Model: GEL 21P

Technical Specifications

Type/ Mounting	Processor Based, Free Standing, Metallic Frame, Floor Mounted with Wheels
Construction	1.6mm CRCA steel sheet, screw less chassis, polymer powder coated, Wooden Top, all directional wheels with lock. No ports/wire exposed while the Podium is locked and not in use to avoid any kind of breakage or mishandling, Cooling Fans in lower body

Display	
Monitor	Highly sensitive, built-In Interactive Touch Monitor with manual tilt facility and mechanism to make the panel stable to avoid any kind of shake while wiring.
Screen Type	Color LED; Capacitive touch, scratch resistant, antiglare & overlay tempered vandal resistant glass
Size	21.5" (54.61 cm)
Resolution	1920 x 1080 (Full HD)
Aspect Ratio	16:9
Brightness	250 NITS
Touch	Finger and Stylus
Stylus	Battery Free Pen

Annotation Software	Annotation Features like draw, choose, pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard, background etc. Network classroom feature to conduct remote teaching by having interaction through all the three types of media Audio, Video and Text.
---------------------	---

Built-In Devices	
Microphone System	Gooseneck Microphone x 1, Wireless Microphone x 1
Amplifier and Speakers	30W RMS Amplifier and two speakers of 15W RMS
Optical Disk Drive Compatibility	Available

System Details	
CPU Housing	Small form factor, 2L volume
Processor	Intel Core i3, 3.2 GHz
Memory	4 GB
HDD/ Storage	1 TB
Console Panel Ports	USB2.0 x 3, USB3.0 x 1, VGA x 2, HDMI x 1, Video Pin x 1, RJ45 x 1
Keyboard and Mouse	Standard Keyboard and Mouse provided
Operating System	Windows 10 (Pre-loaded)

Power	
Power Supply	100 - 240V, 50Hz, AC
Power Consumption	120 Watt (Max)

Environment	
Operating Temperature	5°C ~ 45°C, 90% RH at 40°C
Storage Temperature	-10°C ~ 55°C, 40° at 90% RH non condensing
Weight	90 kgs. (Approx.)

Space Management and Security	A dedicated space to house CPU/Laptop with Security Lock, Sliding Shelf for visualizer, Space for Keyboard and mouse. Physical Key for secure access to system.
-------------------------------	---

*Due to continuous product development, the specifications may change without prior notice.

**Product image(s) are for illustrative purposes only and may differ from the actual product.



Corporate Office:

A-66, Sector-4, Noida, District Gautam Buddha Nagar, U.P., India - 201301

☎ 0120-4051700/800 📠 0120-4051827 ✉ info@globusinfocom.com

📞 For Sales: 0 85888 39434 🌐 www.globusinfocom.com