



Available on
GeM
Government
e Marketplace



Enterprise Series

Digital Podium / Electronic Lectern

MODEL: 21 EL

21 EL

Application Areas

Schools - Colleges - Universities

Board Rooms - Auditoriums - Conference Rooms

Ops Rooms - Training Rooms etc.



Digital Podium/ Electronic Lectern

Model: 21 EL

Technical Specifications

Type/ Mounting	Processor Based, Free Standing, Floor Mounted with Wheels
Construction	1.6mm CRCA steel sheet, screw less chassis, polymer powder coated, Wooden Top, all directional wheels with lock. No ports/wire exposed while the Podium is locked and not in use to avoid any kind of breakage or mishandling, Cooling Fans in lower body
Display	
Monitor	Highly sensitive, built-In Interactive Touch Monitor with manual tilt facility and mechanism to make the panel stable to avoid any kind of shake while wiring.
Screen Type	Color LED; Capacitive touch, scratch resistant, antiglare & overlay tempered vandal resistant glass
Size	21.5" (54.61 cm)
Resolution	1920 x 1080 (Full HD)
Aspect Ratio	16:9
Brightness	250 NITS
Touch	Finger and Stylus
Stylus	Battery Free Pen
Annotation Software	Annotation Features like draw, choose, pens, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, floating keyboard, background etc. Network classroom feature to conduct remote teaching by having interaction through all the three types of media Audio, Video and Text.
Controller	
Console Panel Ports	VGA x 2, USB 2.0 x 2, USB 3.0 x 2, HDMI x 2
LAN Connection	RJ45 LAN port
Built-In Devices	
Microphone System	Gooseneck Microphone x 1, Wireless Microphone x 1, Handheld Microphone x 1, Wireless Receiver x 1
Amplifier and Speakers	60W RMS Amplifier and two speakers of 25W RMS
System Details	
CPU Housing	Small form factor
Processor	Intel Core i5
Memory	4 GB
HDD/ Storage	1 TB
Keyboard and Mouse	Standard Keyboard and Mouse provided
Operating System	Windows 10 (Pre-loaded)
Power	
Power Supply	100 - 240V, 50Hz, AC
Power Consumption	110 Watt (Max)
Environment	
Operating Temperature	5°C ~ 45°C, 90% RH at 40°C
Storage Temperature	-10°C ~ 55°C, 90% RH non condensing
Weight	98 kgs. (Approx.)
Dimension	114cm x 65cm x 65cm
Space Management and Security	A dedicated space to house CPU/Laptop with Security Lock, Sliding Shelf for visualizer, Space for Keyboard and mouse. Physical Key for secure access to system.

*Due to continuous product development, the specifications may change without prior notice.

**Product image(s) are for illustrative purposes only and may differ from the actual product.



Corporate Office:

A-66, Sector-4, Noida, District Gautam Buddha Nagar, U.P., India - 201301

☎ 0120-4051700/800 📠 0120-4051827 ✉ info@globusinfocom.com

📞 For Sales: 0 85888 39434 🌐 www.globusinfocom.com