



Nationwide Sales & Service Presence



Digital Podium

Impact Series : IMPACT DP 200T

A modern and well organised presentation & lecture device for seamless presentations that make two-way interaction between the presenter and audience even more efficacious.



Interactive Panel

Comes with annotation software to make your session even more facile, interesting & enthralling as it allows to annotate on live screen. It performs functions like highlighting, saving, editing, mailing, printing and many more.



RFID/Passwords/ Keys Security

To keep your podium safe and secure, we provide three different types of unlocking & accessing options - RFID (i.e. Radio Frequency Identification), Numeric Password or with Keys.

Handheld/Collar/ Gooseneck Mic

We offer 3 types of Mic - Handheld, Collar & Gooseneck. Handheld mic to hold in the hand, Collar Mic for handsfree operation and Gooseneck Mic that can be adjusted or tilted accordingly.



Keyboard & Mouse

We provide keyboard & mouse also for an organised experience at the time of presentation or any session. It can be conveniently placed in one of the cabinets provided in the podium.



Sliding Shutter

Interactive Panel in podium comes with a sliding shutter on top of it which is lockable. The purpose of providing lockable sliding shutter with panel is to keep it safe from unwanted breakage when not in use.



Multimedia Controller

To connect your devices like laptops and PCs, our Digital Podium also includes a Multimedia Controller which acts as a central point for all the input ports and control buttons. It houses ports including HDMI, USB 3.0 x 2, VGA Port, Audio In ports available on front panel.

Combination of Excellence & Quality

A compact & robust design that passes through multiple level of testing to provide you the finest piece which is an exemplary combination of Intelligence, Innovation & Interactivity. Our podium is equipped with all class apart features which makes it a complete presentation tool. It comes with features like caster wheels that help to make the podium shift from one place to another easily & with motorised screen tilt which can be adjusted according to the presenter’s comfort.

Connect more with your audience

This device helps to uplift the complete learning and teaching experience. It is a perfect amalgamation of interactivity, audio-video, computing, switching & controlling and a flawless device to deliver a impressive lecture or presentation. It allows the presenter to face and have a deeper connect with the audience. Comes with a flexibility of putting the customer organisation’s logo and information on the front side acrylic sheet.



A Proficient, Powerful and All-In-One

Digital Podium to ace your presentations

Technical Specifications

| Digital Podium |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Free standing wheel mounted capable of moving in all directions with a facility of lock them while the Electronic podium is in use, polymer powder coated steel body enclosure with wooden top panels, designed to work in suitable environmental conditions, wooden top having lock and key and a sliding cover for opening / closing easily, housing and connectivity for visual presenter while the visualiser is in use and not in use, at the time of using the visualiser, drawer can be opened and Visualiser can be used, no port exposed on the outer body for breakage, cooling fans provided in the lower body |

| Sliding Trays |
|----------------------------------------|
| To keeping laptop and Keyboard & Mouse |

| Display | |
|--------------------------|---------------------------------------------------------------------------------------------------------------|
| Panel | Adjustable Motorized Facility |
| Monitor | Highly sensitive Interactive Touch Monitor and mechanism to make the panel stable to avoid shake while wiring |
| Screen Type | Color LED; Scratch resistant, antiglare & overlay tempered vandal resistant glass (3mm thickness) |
| Size | 53.0 cm (21 inches) |
| Resolution | 1920 x 1080 (Full HD) |
| Aspect Ratio | 16:9/ 16:10 |
| Response Time | 5 ms |
| Computer Interface | USB x 1, VGA x 1, HDMI x 1, DVI x 1 |
| Interactive Resolution | 4000 Lpi (lines per inch) |
| Reading Accuracy | ±0.5 mm (center) |
| Tracking Speed | 200 points per second |
| Pen Pressure sensitivity | 2048 Levels |
| Viewing Angles | 170(H) ; 160(V) |
| Touch | Finger and Stylus |
| Speakers | Inbuilt in display panel |

| System Details (Model No.Compact 581R) | |
|----------------------------------------|-------------------------------------------------------------|
| CPU Housing | Small form factor, 2L volume |
| Processor | Intel Core i5, 10th Gen processor |
| Memory | 8 GB |
| HDD/ Storage | 256 GB SSD |
| Audio | Line-Out x 1/ Line-In x 1 |
| Wi-Fi and Wireless LAN Card | Inbulit Wi-Fi / Wireless LAN Card |
| Keyboard and Mouse | Wireless Keyboard and Mouse |
| Operating System | Windows 10 |
| Antivirus | Norton antivirus/Mcafee antivirus with 1 year license |
| Ports | HDMI x 1, DP(Display Port) x 2, USB ports x 5, LAN Port x 1 |

| Multimedia Controller | |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ports on front Panel of Controller | VGA, HDMI, USB3.0 x 2, Audio IN |
| Ports on Rear Panel of Controller | USB 3.0 x 2, VGA Input x 2, VGA Output x 2, RCA Audio IN x 1, RCA Audio Output x 2, HDMI Input x 2, HDMI Output x 2 , Programming Port (Phoenix connector) |
| Buttons on front Panel of Controller | Push buttons to control volume up & down, volume mute to switch sources of HDMI visual presenter, VGA visual presenter, HDMI laptop, PC HDMI, VGA laptop, VGA PC & Controller Power On/Off, Display Power On and Power Off |
| Built in HDMI Repeater | HDMI Output port support 15mtr HDMI cable |
| Controller Resolution Output | 4K (3840 x 2160) |
| Power | 5 V DC (Suitable Adaptor with controller) |

| Sound Bar* | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Amplifier & Speaker | Inbuilt amplifier of 120 watt & 20 x 4 Watt Speakers each and 20 watt of tweeter speaker housed in a single unit with 1 External Subwoofer of 20 watt, inbuilt Microphone Receiver with 1 wireless Hand Held mic and 1 Headband mic |
| Gooseneck Microphone | Gooseneck Microphone with XLR output Phantom powered, 21.5cm Gooseneck length with ON/OFF switch and with LED light indicating ON/OFF status, Gooseneck microphone is polarised condenser, highly directional featuring hypercardioid /lobar directivity |
| Audio Mixing Console | Audio Mixing Device with capability to connect and manage input output Audio Signals |

| Security |
|----------------------------------------------------------------------------------------------|
| RFID, Password protection & Physical Key for secure access to system, space for acrylic logo |

| Power | |
|--------------|---------------------|
| Power Supply | 180 -240V, 50Hz, AC |

| Optional Accessories | |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Audio System and Microphones | |
| System Audio | 50W x 4 Speakers, 250W Amplifier, wireless Hand Held & Lapel microphone with receiver |
| Gooseneck Microphone | Gooseneck Microphone with XLR output Phantom powered, 21.5cm Gooseneck length with ON/OFF switch and with LED light indicating ON/OFF status, Gooseneck microphone is polarised condenser, highly directional featuring hypercardioid /lobar directivity |

*Due to continuous product development, the specifications may change without prior notice.
**Product image(s) are for illustrative purposes only and may differ from the actual product.