Long Throw Projector



Globus Long Throw Digital Projector is equipped with superior picture quality, long-life and reliability to amplify any lesson, meeting or seminar with vivid colours, bold graphics and razor-sharp clarity. Our long throw projectors work on DLP technology for high-end and reliable performance.

Key Features

- High brightness
- Smart Eco Mode for low maintenance operation.
- Longer Lamp Life.
- Keystone Correction for perfectly geometrical projection.













GLO BUS

High Brightness for Spectacular Visual Performance

High brightness and High Contrast
Ratio for luminous picture quality in
any given lighting condition.



- * Due to continuous product development, the specifications may change without prior notice
- ** Product images are for illustration purpose only and may be different from the actual product









High Luminosity and Amazing Colour Accuracy

DLP technology produces bright and vivid images with amazing colour accuracy even in rooms with high ambient conditions. Enhance your presentation/ classroom or meeting sessions with its high luminosity.

Reduced Shadow Interference

With our Long Throw Projectors, interfering shadows or glare won't be a hindrance for your presentation, seminar, meeting or classroom session. It is equipped with a throw ratio Standard (0.9 to 2.5) that allows you to project a large screen even from a very short distance.






Inbuilt Speaker

Users can enjoy playing multimedia files like videos, animations, etc. on our Long Throw Projector with an inbuilt sound output. No hassles of connecting an external audio output device. It comes with an inbuilt 5W speaker for high fidelity sound output.

Advanced Energy Saving Features

Our projectors deliver long-term, maintenance-free operation owing to its long lamp life reducing the total cost of ownership (TCO) for the users. The Economy Mode lets users extend the lamp life by optimizing image brightness accordingly.





Specifications

Model No: Impact-LHDV4




Source of light	UHP Lamp
Display Colour	1.07 B
Technology	One Chip DLP
Brightness Lumens	ANSI 5000
Contrast Ratio	22000:1
Zoom & Throw Ratio	
Zoom	1.1x Optical, 0.8x-2.0x Digital
Throw Ratio and Distance	Standard (0.9 to 2.5)
Image and Lens	
Lens	F=l.81-2.1, f=14.3-22.9mm
Projection Offset	up to 110% (+/-6%), F-2.0-2.05, f=15.843-17.445mm
Lens Shift	±5%vertical
Size of the image	30"-300"
Keystone & Corner Correction	± 40º Horizontal & Vertical
Audible Noise	Up to 32dBin Normal Mode, 27dBin Eco. Mode
Light Source Life	15000Hrs in Normal Mode, 20000 Hours in Economy Mode
Output Ports	
VGA out	1
Audio Out	1
Input Ports	
Composite Video	1
Audio In	1
HDMI	2
S-Video	1
Computer in / VGA	1
Other ports	
RS232	1
USB type A (power)	1
DC 12 V Out	1
Speaker	
Inbuilt Speaker	2 x 5 Watts
Compatibility	
HDTV	Up to 1080p
Video	PAL, SECAM, NTSC
Input Resolution	VGA to WUXGA
Ingress Protection	IP5x
Power	Normal: 355W, Standby <0.5W
Input Power	Using connector and power cable
Accessories	Standard cables, remote and drivers, Wireless dongle,CMK

^{*} Due to continuous product development, the specifications may change without prior notice

^{**} Product images are for illustration purpose only and may be different from the actual product



India's Leading EdTech Brand





Corporate Office: A-66, Sector-4, Noida, District Gautam Buddha Nagar, Uttar Pradesh, India- 201301 | **Mobile:** +91- 8588839434

Email: sales@globusinfocom.com | www.globusinfocom.com